

# United States Patent and Trademark Office

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 10/814,968 03/31/2004 Kyo-Min Sohn 8021-225 (SS-18860-US) 8696 22150 **EXAMINER** 7590 10/18/2006 F. CHAU & ASSOCIATES, LLC CAMPOS, YAIMA 130 WOODBURY ROAD ART UNIT PAPER NUMBER WOODBURY, NY 11797 2185

DATE MAILED: 10/18/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
Office Action Summary	10/814,968	SOHN ET AL.
	Examiner	Art Unit
	Yaima Campos	2185
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).		
Status		
1) Responsive to communication(s) filed on <u>15 October 2006</u> .		
	action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is		
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.		
Disposition of Claims		
4) Claim(s) 1-3 and 5-22 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.		
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-3 and 5-22</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction and/or election requirement.		
Application Papers		
9) The specification is objected to by the Examiner.		
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.		
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).		
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.		
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this National Stage		
application from the International Bureau (PCT Rule 17.2(a)).		
* See the attached detailed Office action for a list of the certified copies not received.		
Attachment(s)		
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Di	ate
Information Disclosure Statement(s) (PTO/SB/08)     Paper No(s)/Mail Date	6) Other:	atent Application

#### **DETAILED ACTION**

1. The examiner acknowledges the applicant's submission of the amendment dated July 24, 2006. At this point claims 1, 5 and 12 have been amended, claim 4 has been cancelled, and claims 21 and 22 have been added. Thus, 21 claims are pending in the instant application.

#### I. REJECTIONS NOT BASED ON PRIOR ART

#### Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. <u>Claims 13</u> is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 4. As per <u>claim 13</u>, the limitations "a data memory address" (lines 2-3) render this claim vague and indefinite, as this term has been introduced in the claim without prior definition. This claim recited "determining if the write address and the read address are the same as a data memory address" and it is not clear to the examiner what is the result of the recited "determination."
- 5. Any claim not specifically addressed above is rejected for encompassing the deficiencies of a claim upon which it depends.

Art Unit: 2185

### II. REJECTIONS BASED ON PRIOR ART

# **Double Patenting**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., In re Berg, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

- 1. <u>Claims 1 and 12</u> are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 14 and 18 respectively of copending Application No. 10/811,613.
- 2. Initially, it should be noted that the present application and Application No. 10/811,613, have the same inventive entity. The assignee for both applications is Samsung Electronics Co., Ltd..
- 3. Claimed subject matter in the instant application is fully disclosed in the referenced copending application and would be covered by any patent granted on that copending application since the referenced copending application and the instant

Art Unit: 2185

application are claiming common subject matter, as noted below. See In re Goodman, 11 F.3d 1046, 29 USPO2d 2010 (Fed. Cir. 1993).

- 4. Furthermore, there is no apparent reason why applicant would be prevented from presenting claims corresponding to those of the instant application in the other copending application. See MPEP § 804.
- 6. <u>Claim 1 and 12</u> are rejected on the ground of nonstatutory double patenting over claims 32, 22, and of U. S. Patent No. 6,826,088 since the claims, if allowed, would improperly extend the "right to exclude" already granted in the patent.

The subject matter claimed in the instant application is fully disclosed in the patent and is covered by the patent since the patent and the application are claiming common subject matter, as follows:

See claim 1 in the instant application compared to claim 32 of U.S. Patent No. 6,826,088 and Claim 12 of the instant application compared to claim 22 of U.S. Patent No. 6,826,088.

Furthermore, there is no apparent reason why applicant was prevented from presenting claims corresponding to those of the instant application during prosecution of the application which matured into a patent. See *In re Schneller*, 397 F.2d 350, 158 USPQ 210 (CCPA 1968). See also MPEP § 804.

# Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

<sup>(</sup>b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2185

8. <u>Claims 1, 6, 8, 10 and 11</u> are rejected under 35 U.S.C. 102(b) as being anticipated by Liu (US 5,752,260).

### 9. As per <u>claim 1</u>, Liu discloses

An integrated circuit to which inputs and outputs (I/Os) are separately provided and to which a write address and a read address are simultaneously input during one period of a clock signal, the integrated circuit comprising: as ["memory 10" and explains "the memory 10 is capable of being simultaneously accessed by multiple ports for access in the same cycle" (Figure 1; Col. 3, line 58-Col. 4, line 3)]

"a plurality of memory blocks, each of the memory blocks comprising a plurality of sub-memory blocks;" ["cache memory device 10 having multiple subarrays" (Col. 3, lines 5-33) and explains "the features of the present invention may be useful in various systems, as primary (first level cache), secondary cache, translation buffers, an the like, wherever a content-addressable memory is useful, or wherever multiple access, multiple-port memory is needed" (Col. 6, line 62-Col. 7, line 2). Therefore, a single system may contain multiple memories such as "memory 10" which are divided into multiple sub-arrays]

"a plurality of data memory blocks corresponding to the memory blocks, wherein each of the data memory blocks has the same size as a sub-memory block;" [With respect to this limitation, Liu discloses "main memory 115" and explains "the main memory 115 usually contains a subset of what is in the disk storage 116, the secondary cache 110 contains a subset of what is in the main memory 115, and the on-chip caches 10 and 109 subsets of what is in the secondary cache" (Figure 6; Col. 7, lines 1-50)]

Art Unit: 2185

"and a tag memory controlling unit, which writes data to the memory blocks or reads data from the memory blocks in response to the write address or the read address, wherein access to the same sub-memory block is not simultaneously performed when the write address and the read address are the same" [With respect to this limitation, Liu discloses "arbitration/priority circuit 80" and explains "if subarray select fields of any two addresses contain the same value, then these two addresses have a subarray conflict an some predefined priority is used to allow the higher priority one to access the subarray... the constraint that one subarray can be accessed by only one address is due to the fact that there can be only one word line enabled in one subarray in any one cycle" (Col. 2, lines 17-46; Col. 4, lines 4-27; Col. 5, line 52-Col. 6, line 32; Figure 1; Figure 6)].

- 10. As per <u>claim 2</u>, Liu discloses the integrated circuit of claim 1, [See rejection to claim 1 above] wherein "the sub-memory blocks are a set of memory cells for sharing a common word line or bit line" [(Col. 2, lines 24-46; Col. 5, line 52-Col. 6, line 32)].
- 11. As per <u>claim 3</u>, Liu discloses the integrated circuit of claim 1, [See rejection to claim 1 above] wherein "in the sub-memory blocks, two or more word lines or bit lines cannot be simultaneously activated" [(Col. 2, lines 24-46; Col. 5, line 52-Col. 6, line 32)].
- 12. As per <u>claim 8</u>, Liu discloses the integrated circuit of claim 1, [See rejection to claim 1 above] wherein "the tag memory controlling unit stores a data memory address indicating that data stored in the data memory blocks is originally data corresponding to one of the sub-memory blocks, and validity determination information for determining

Art Unit: 2185

whether data stored in the data memory block is valid" [Liu discloses this concept as "MESI status bits" (Col. 3, lines 33-45; Col. 4, lines 4-27)].

- 13. As per <u>claim 9</u>, Liu discloses the integrated circuit of claim 8, [See rejection to claim 8 above] wherein "if the number of the sub-memory blocks is 2N, each address of the tag memory controlling unit includes N+1 data bits, and N-bit of the N+1 data bits indicates a data memory address, and remaining 1-bit of the N+1 data bits indicates the validity determination information" [Liu discloses this concept as "MESI status bits" (Col. 3, lines 33-45; Col. 4, lines 4-27)].
- 14. As per claim 10, Liu discloses the integrated circuit of claim 1, [See rejection to claim 1 above] wherein "the data memory blocks have a direct mapping relation with the sub-memory blocks" ["the main memory 115 usually contains a subset of what is in the disk storage 116, the secondary cache 110 contains a subset of what is in the main memory 115, and the on-chip caches 10 and 109 subsets of what is in the secondary cache" (Col. 7, lines 1-50; Figure 6)].
- As per <u>claim 11</u>, Liu discloses the integrated circuit of claim 1, [See rejection to claim 1 above] wherein "the data is input or output at a single data rate (SDR) or a double data rate (DDR)" ["the memory 10 is a static RAM device" (Col. 3, lines 5-33; Figure 5)].
- 16. As per claims 12-13, 15 and 17-19, Liu discloses "a method for simultaneously performing a write operation and a read operation in an integrated circuit comprising a separate input and output, the method comprising:"

["memory 10" and explains "the memory 10 is capable of being simultaneously

Art Unit: 2185

accessed by multiple ports for access in the same cycle" (Figure 1; Col. 3, line 58-Col. 4, line 3)]

"determining if a write address and a read address have been input during a period of a clock signal;" ["the memory 10 may receive two 64-bit EA (effective) addresses EA0 and EA1 on lines 24 and 25, and one 40-bit (real) address on lines 26, at the same time. The memory... decides which tow addresses are used to produce output data" (Col. 3, line 58-Col. 4, line 3)]

"determining if an upper address of the write address is the same as an upper address of the read address when the write address and the read address have been input during the period of the clock signal;" ["if subarray select fields of any two addresses contain the same value, then these two addresses have a subarray conflict and some predefined priority is used to allow the higher priority one to access the subarray" (Col. 2, lins 24-46; Col. 4, lines 4-51; Col. 5, line 52-Col. 6, line 32; Figures 1-4)] "and performing a write operation and a read operation during the period of the clock signal when the upper addresses of the write and read addresses are the same or when the upper addresses of the write and read addresses are not the same" [With respect to this limitation, Liu discloses "the constraint that one subarray can be accessed by only one address is due to the fact that there can be only one word line enabled in one subarray in any one cycle. If these three address contain different values in the subarray select field, then three different operations can happen in the same cycle at three different subarrays. For example, while a ECAM read on behalf of the EA0 address is accessing the subarray 0, another ECAM read on behalf of an EA1

Art Unit: 2185

address may be accessing subarray 1, and a store cycle on behalf of a real address RA is accessing subarray 2" (Col. 2, lines 24-46)].

17. As per claim 22(New), Liu discloses "An integrated circuit to which inputs and outputs (I/Os) are separately provided and to which a write address and a read address are simultaneously input during one period of a clock signal, the integrated circuit comprising:" ["memory 10" and explains "the memory 10 is capable of being simultaneously accessed by multiple ports for access in the same cycle" (Figure 1; Col. 3, line 58-Col. 4, line 3)]

"a plurality of memory blocks, each of the memory blocks comprising a plurality of sub-memory blocks;" ["cache memory device 10 having multiple subarrays" (Col. 3, lines 5-33) and explains "the features of the present invention may be useful in various systems, as primary (first level cache), secondary cache, translation buffers, an the like, wherever a content-addressable memory is useful, or wherever multiple access, multiple-port memory is needed" (Col. 6, line 62-Col. 7, line 2). Therefore, a single system may contain multiple memories such as "memory 10" which are divided into multiple sub-arrays]

"a plurality of data memory blocks corresponding to the memory blocks; and" [With respect to this limitation, Liu discloses "main memory 115" and explains "the main memory 115 usually contains a subset of what is in the disk storage 116, the secondary cache 110 contains a subset of what is in the main memory 115, and the on-chip caches 10 and 109 subsets of what is in the secondary cache" (Figure 6; Col. 7, lines 1-50)]

Art Unit: 2185

"a tag memory controlling unit, which writes data to the memory blocks or reads data from the memory blocks in response to the write address or the read address, wherein access to the same sub-memory block is not simultaneously performed when the write address and the read address are the same," [With respect to this limitation, Liu discloses "arbitration/priority circuit 80" and explains "if subarray select fields of any two addresses contain the same value, then these two addresses have a subarray conflict an some predefined priority is used to allow the higher priority one to access the subarray... the constraint that one subarray can be accessed by only one address is due to the fact that there can be only one word line enabled in one subarray in any one cycle" (Col. 2, lines 17-46; Col. 4, lines 4-27; Col. 5, line 52-Col. 6, line 32; Figure 1; Figure 6) "wherein the tag memory controlling unit stores a data memory address indicating that data stored in one of the data memory blocks is originally data corresponding to one of the sub-memory blocks, and validity determination information for determining whether data stored in the data memory block is valid, and wherein if the number of the sub-memory blocks is 2N, each address of the tag memory controlling unit includes N+I data bits, arid an N-bit of the N+I data bits indicates a data memory address, and a remaining 1-bit of the N+I data bits indicates the validity determination information" [Liu discloses this concept as "MESI status bits" (Col. 3, lines 33-45; Col. 4, lines 4-27)].

#### Claim Rejections - 35 USC § 103

- 18. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

Art Unit: 2185

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 19. <u>Claim 6</u> is rejected under 35 U.S.C. 102(b) as being anticipated by Liu (US 5,752,260) in view of Arimilli et al. (US 2003/0097529).
- 20. As per claim 6, Liu discloses the integrated circuit of claim 1, [See rejection to claim 1 above] wherein but does not discloses "the tag memory controlling unit has a same number of decoding addresses as a number of addresses for decoding the data memory blocks;" however, it is the examiner's position that this feature is well known in the art as evidenced by [(Arimilli, Figure 4; Page 8, Par. 0090-Page 9, Par. 0094) wherein, it is taught having a cache memory and a tag storage including the same number of entries as that the tag memory; therefore, there must be one tag for every entry in the cache].

#### III. RELEVANT ART CITED BY THE EXAMINER

- 21. The following prior art made of record and not relied upon is cited to establish the level of skill in the applicant's art and those arts considered reasonably pertinent to applicant's disclosure. See MPEP 707.05(c).
- 22. The following references teach multi-port memory systems in which simultaneous access is not performed when there is an address conflict.

#### U.S. PATENT NUMBER

US 5,978,897

US 5,598,554

US 6,202,128

Art Unit: 2185

US 6,463,514

US 6,625,699

23. The following reference teaches a flash memory data bus for synchronous burst read page.

### **U.S. PATENT NUMBER**

US 7,093,0662

# IV. CLOSING COMMENTS

# Conclusion

# a. STATUS OF CLAIMS IN THE APPLICATION

24. The following is a summary of the treatment and status of all claims in the application as recommended by M.P.E.P. 707.07(i):

# a(1) SUBJECT MATTER CONSIDERED ALLOWABLE

25. It appears to the Examiner that Applicant's invention is directed to a system and method wherein "the write operation is performed in a data memory block and a read operation is performed in a sub-memory block" when access to the same sub-memory block is simultaneously performed when the write address and the read address are the same, as indicated in dependent claim 14. However, this subject matter has not been included in the independent claims. Applicant is encouraged to incorporate this limitation in the independent claims to further clarify the invention and further compact prosecution.

Art Unit: 2185

26. Per the instant office action, <u>5</u>, <u>7</u>, <u>14</u>, <u>16</u> and <u>20-21</u> re objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

# a(2) CLAIMS REJECTED IN THE APPLICATION

27. Per the instant office action, claims 1-3, 6, 8-13, 15, 17-19 and 22 have received a second action on the merits and are subject of a second action non-final.

# a(3) CLAIMS NO LONGER IN THE APPLICATION

28. Claim 4 was cancelled by the amendment dated July 24, 2006.

#### b. DIRECTION OF FUTURE CORRESPONDENCES

29. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yaima Campos whose telephone number is (571) 272-1232. The examiner can normally be reached on Monday to Friday 8:30 AM to 5:00 PM.

# **IMPORTANT NOTE**

30. If attempts to reach the above noted Examiner by telephone are unsuccessful, the Examiner's supervisor, Mr. Sanjiv Shah, can be reached at the following telephone number: Area Code (571) 272-4098.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through

Art Unit: 2185

Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

October 15, 2006

Yaima Campos

Examiner

Art Unit 2185

SANJIV SHAH SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100